

eyeSpy247

Stop Worrying. Start Seeing.



eyeSpy247ext

Excellent Price-Performance...

The EyeSpy247Ext is an IP65 rated (Water/Dust Proof) IP camera designed for outdoor video surveillance applications. With a high quality progressive CMOS sensor, this camera is capable of providing H.264, MPEG-4 and M-JPEG triple streaming at VGA resolution up to 30fps.

It has automatic day/night switching, Infrared (IR) illumination up to 10 metres in total darkness, PIR and sound sensors, 2 way audio, and longer range 802.11N wireless connectivity.

As a stand alone camera it doesn't need to be connected to a computer to work or require any special viewing software and is Windows, Mac and Linux friendly.

The unique auto-configuration system built into the camera will help you get it set up for remote viewing from a PC or mobile with just one click!

Key Features

- All weather outdoor IP camera
- Automatic day/night switching
- Infrared (IR) LEDs for night vision
- One click auto-setup with eyespy247.com
- Motion, PIR and sound detection sensors
- No DDNS, IP address or port forwarding set up needed on most routers
- H.264, MPEG-4 & M-JPEG video streams
- VGA resolution (640 x 480) at 30fps on all streams & digital zoom
- View Live on iPhone® Blackberry® etc.
- 802.11b/g/n wireless and wired 10/100 Base-T Ethernet
- 2 way audio, privacy masking...and more

What's more, only EyeSpy247 cameras have **Exclusive** built-in access to our online platform making it easy to view Live video from anywhere plus you get extensive **Free** services including automated monitoring, off-site recording, email/SMS intruder alerts, and more.

Now it's simpler and more affordable than ever to keep a remote eye on the people and places important to you. Our complete solution of Internet camera and web based monitoring platform will keep you informed when it matters, no matter where you are.

For more information

Web: www.eyespy247.com
Email: info@eyespy247.com
Tel: 0845 5440 288



Weatherproof
IP65 Casing



Auto Day/Night
Switching



802.11 b/g/n
Wi-Fi



3 Video Modes



2 Way Audio



Motion Detect



Email/SMS Alerts



Online Portal

Video

Image Sensor	OmniVision OV7740 1/5" CMOS sensor
Lens	F2.0 Fixed focus lens (FOV 62° Diagonal)
Zoom	8 x digital
Compression	H.264, MPEG-4, M-JPEG
Resolution	640 x 480, 320 x 240, 160 x 120
Frame Rate	30fps for all streams at all resolutions
Image Control	AWB, AGC, Sharpness, Brightness
Video Options	Time stamp, Text overlay, Privacy mask
Mobile Viewing	160 x 120 @ 30fs 3GPP, H.264
Motion Detect	Movement, PIR, Audio trigger modes
Night Vision	8 x IR LED with automatic IR-cut filter

Audio

Compression	G.726 ADPCM, G.711 PCM
Mic/Speaker	Bi-directional audio, built-in Mic and external Speaker
Audio Option	On-Off control on web interface

Network

Protocols	TCP / IP, DDNS, SMTP, FTP, HTTP, HTTPS, DHCP, NTP, RTSP / RTP, UPnP, SMB/CIFS
-----------	---

Software

Management	Windows Setup utility, Web based user interface
Client Support	Web Browser, Windows Utility
Security	Username and Password
Users	10 simultaneous users

Wireless

Standard	IEEE 802.11b, g & n
Operation Modes	Infrastructure / Ad-Hoc
Encryptions	WEP 64 Bits / 128 Bits, WPA / WPA2 Personal
Antenna	External Antenna with 3dBi, water proof

Hardware

CPU	SProlific PL-1129 (ARM9 500MHz)
Flash ROM	8 Megabytes
SDRAM	128 Megabytes
LAN	Ethernet 10/100BaseT
LED Indicators	LED indicator for Power and Network
Connector	Ethernet RJ-45, DC Power, Reset
Power Adapter	12V/1A, 100~240 VAC, Switching
Certification	CE/FCC
Dimensions	103mm H x 94mm W x 37mm D
Weight	900g nett

Viewing System Requirements

Browsers	Internet Explorer (version 5.5 or later) Firefox, Safari and most other browsers with Java and/or Quick Time
Smartphones	Live Images can be viewed via most devices such as iPhone, Blackberry, Android phones, etc.

Operational Environment

Temperature	-5 ~ 45 degrees C
Humidity	0 ~ 90% humidity



For more information

Web: www.eyespy247.com
 Email: info@eyespy247.com
 Tel: 0845 5440 288

eyespy247ext

outdoor wi-fi internet video camera

